Avery Weigh-Tronix

BS DIAMOND BASES

Fully washdown stainless steel Diamond Bench Bases designed for use within the food industry.

Technical Specification



DESCRIPTION

Certified by NSF to NSF/ANSI Standard 3-A, the Diamond BS Bases are ideal for high capacity bench and floor applications in food environments.

The rugged Diamond Base design offers an easy to clean, IP69K, spider design which helps to transfer shock loads

and overloads away from the load cell, offering up to 150% overload protection.

Available in a range of sizes, capacities and base finishes from carbon steel for general use, to fully stainless steel NSF certified for food or outdoor applications.

SPECIFICATIONS

PHYSICAL
Onerations


Operating Application	Designed to operate in a wide range of applications from general use processing and dry food applications.	to meat, fish, poultry and dairy
Load Cell	Fitted with IP69K fully stainless steel NTEP approved load cell. Supplied with a 6 wire 10 ft (3 meter) load cell cable.	
Base Construction	Carbon steel bases – Carbon steel construction with a high grade pow shroud. Stainless steel bases – Easy to clean design. Certified by NSF to NSF/ANS constructed from a food-grade 304 fine brush base with a pickle and contact areas.	· Standard 3-A. Full stainless steel design,
Operating Temperature	Compliance with legal for trade requirements -4° F to 140° F / -20° C to 60° C (industrial) 10 to 90% humidity	
Excitation	Up to 15 VDC (Generated by the weight display)	
Load Cell Output	1 mV/V	
Feet Adjustment	Captive thread food grade feet with up to ¼ in (6mm) foot adjustment on stainless steel version.	-
Overload Protection	150%	
Corner Loading	100%	
IP Protection	IP69K	
Approved Accuracy	5000d NTEP approval, 5000d Measurement Canada approved 5000d OIML/EC approved	Base construction

BASE CAPACITY/RESOLUTION	Base size	NTEP Resolution	EC/OIML Resolution
Carbon steel	18 in x 18 in (460 mm x 460 mm)	50 lb x 0.01 lb (25 x 0.005 kg)	
	18 in x 24 in (460 mm x 610 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	45 x 0.01 kg
	20 in x 20 in (510 mm x 510 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	
		200 lb x 0.05 lb (100 x 0.02 kg)	100 x 0.02 kg
	24 in x 24 in (610 mm x 610 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	
		200 lb x 0.05 lb (100 x 0.02 kg)	
		500 lb x 0.1 lb (250 x 0.05 kg)	250 x 0.05 kg
Stainless steel	14 in x 14 in (360 mm x 360 mm)	30 lb x 0.01 lb (15 x 0.005 kg)	
(IP69K)	18 in x 18 in (460 mm x 460 mm)	50 lb x 0.01 lb (25 x 0.005 kg)	
	18 in x 24 in (460 mm x 610 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	45 x 0.01 kg
		200 lb x 0.05 lb (100 x 0.2 kg)	-
	20 in x 20 in (510 mm x 510 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	50 x 0.01 kg
		200 lb x 0.05 lb (100 x 0.2 kg)	100 x 0.02 kg
	24 in x 24 in (610 mm x 610 mm)	100 lb x 0.02 lb (50 x 0.01 kg)	-
		200 lb x 0.05 lb (100 x 0.2 kg)	
		500 lb x 0.1 lb (250 x 0.05 kg)	250 x 0.05 kg

DIMENSIONS (inches & mm)

Base Size	а	b	С
14 in x 14 in	5 in (125 mm)	14 in (360 mm)	14 in (360 mm)
18 in x 18 in	5 in (125 mm)	18 in (460 mm)	18 in (460 mm)
20 in x 20 in	5 in (125 mm)	20 in (510 mm)	20 in (510 mm)
18 in x 24 in	5 in (125 mm)	18 in (460 mm)	18 in (610 mm)
24 in x 24 in	5 in (125 mm)	24 in (610 mm)	24 in (610 mm)

IP69K



OPTIONS

OPTIONS		375
Options	Ball-top shroud – keep product moving. Reduce operator lifting and bending. (Not NSF approved) Portable cart – makes scale portable, ideal when taking scale to the cleaning room. Constructed in stainless steel, with adjustable height.	
APPROVALS		
Agencies	IP69K approved NTEP (US) Class 111/IIIL 5,000 d CC#88-104 AM (Measurement Canada) WA-3094 Certified by NSF to NSF/ANSI Standard 3-A 14159-1-2010 EC & OIML approval	Portable cart option

Measurement

Canada Approved WA-3094

Avery Weigh-Tronix

www.averyweigh-tronix.com

- Avery Weigh-Tronix is an ITW company

Avery Weigh-Tronix is a trademark of the Illinois Tool Works group of companies whose ultimate parent company is Illinois Tool Works Inc ("Illinois Tool Works"). Copyright © 2015 Illinois Tool Works. All rights reserved. This publication is issued to provide outline information only and may not be regarded as a representation relating to the products or services concerned. This publication was correct at the time of going to print, however Avery Weigh-Tronix reserves the right to alter without notice the specification, design, price or conditions of supply of any product or service at any time.